

Sightings	Name		Roberts No.	Size Comparison							Prominent Features (Usually Male Birds Only)	Habits		
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm	Crane 100-120 cm				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Barbet, Acacia Pied	Bonthoutkapper	465			•					Bright red crown, white underparts	Solitary or in pairs
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Barbet, Blackcollared	Roikophoutkapper	464			•					Bright red forehead, face & neck	Pairs or small groups in woodland
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Barbet, Crested	Kuifkophoutkapper	473			•					Head Crest, wings black and white scallops	Single or pairs in woodland/garden
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bee-eater, European	Europese Byreter	438			•					Turquoise forehead and underparts	Gregarious, roosts in tall trees
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bishop, Southern Red	Rooivink	824		•						Males a brilliant red	Gregarious, bee-like flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bishop, Yellow Crowned	Goudgeelvink	826	•							Yellow crown, black face	Gregarious, bee-like flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bittern, Little	Woudapie	78				•				Thick neck, black crown and back	Solitary in reed-beds or sedges
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bokmakerie	Bokmakerie	746		•	•					Yellow breast, black bib	Forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Boubou, Crimson	Rooiborslaksman	739			•					Scarlet underparts, black back	Pairs occur in thornveld
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Boubou, Southern	Suidelike Waterfiskaal	736			•					Black above, light below, bold wing stripe	Secretive, highly vocal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bulbul, Dark Capped	Swartoogtiptol	568		•	•					Black and white streaked head	Woodland, gardens, parks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Bunting, Cinamon Breasted	Klipstreepkoppie	886	•	•						Black and white streaked head	Rocky or stony ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Buzzard, Steppe	Bruinjakelsvoël	149						•		Variable brown, paler band across chest	Open country, grassveld
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Canary, Blackthroated	Bergkanarie	870	•							Bright yellow rump	Forages mainly on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Canary, Yellow fronted	Geeloogkanarie	869	•							Bold facial markings	Gregarious, forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cisticola, Clour	Gevlekte Klopkloppie	666	•							Speckled brown, short tail	Solitary, forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cisticola, Desert	Woestynklopkloppie	665	•							Small lbs. refer to book	Forages low in grass
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cisticola, Levillant	Vleitinkinkie	677	•							Small lbs. longer tail	Waterside sedges and reed????
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cisticola, Zitting	Landeryklofkloppie	664	•							Small lbs. refer to book	Forages low in grass
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Coot, Redknobbed	Bleshoender	228						•		Black with white bill, red knobs on head	Gregarious, swims in open
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cormorant, Reed	Rietduiker	58						•		Black except for brown speckled wings	Fishes from rocks near water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cormorant, Whitebreasted	Witborsduiker	55						•		White throat and breast	Often perch or nest in dend trees
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Coucal, Burchel's	Gewone Vleiloerie	391						•		Black head, rust back, white breast, red eyes	Skul??? in dense vegetation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cursorer, Temminck's	Trekdrawwertjie	300			•					Rufous crown, white/black eyebrows	Erect stance, bobs head and tail
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Crake, Cape	Swatriethaan	213			•					Black body, pink legs, yellow beak	Walks over floating plants
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Crow, Pied	Witborskraai	548						•		Black with white collar and breast	Gregarious scavenger
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cuckoo, African	Afrikaanse Koekoek	375				•				Throat and breast pale grey	Shy and elusive
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cuckoo, Diderik	Diederikkie	386		•						Green and bronze black, white underparts	Perches in tops of trees
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cuckoo, Redchested	Piet-my-vrou	377			•					Rufous neck, white chested barred	Shy and seldom seen

Sightings	Name		Roberts No.	Size Comparison						Prominent Features (Usually Male Birds Only)	Habits		
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm			Crane 100-120 cm	
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Darter, African	Slanghalsvoël	60						•	Long neck with characteristic kink	Dives well, spears fish
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dove, Laughing	Rooiborsduif	355			•				Deep rufous chest with black marks	Feeds on ground - tame
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dove, Redeyed	Grotringduif	352			•				Black collar on hindneck	Wary, lands heavily
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Dove, Rock	Tuinduif	348			•				Variable, refer to book	Depends on human habitation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Duck, African Black	Swarteend	105					•		Black with white splotches on back	Feeds by head-dipping or up-ending
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Duck, Whitebacked	Witrugeend	101					•		White patch near base of bill	Seldom seen out of water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Duck, Whitefaced	Nonnetjie-eend	99						•	White face and long dark neck	Gregarious, stands high
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Duck, Yellowbilled	Geelbekeend	104						•	Bright yellowbill with black patch	Gregarious or in pairs
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Egret, Cattle	Bosluisvoël	71			•	•			Yellow beak and legs - all white bird	Gregarious feeds in open grass
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Egret, Great	Grootwitreier	66						•	Body all white, legs black	Shy and solitary
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Egret, Little	Kleinwitreier	67			•				Black beak and legs, yellow feet	Active aquatic feeder
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Egret, Yellowbilled	Geelbekwitreier	68						•	Smaller than great, greenish legs	Feeds by wading slowly
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Falcon, Lanner	Edelvalk	172			•	•			Whitish underparts, russet crown	Hunts in flight, or from perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Fish Eagle, African	Visarend	148						•	White head, chest and tail	Hunts fish from perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flycatcher, Fairy	Feevlieëvanger	706	•						Small grey and black bird, white wingbar	Forages inside leafy canopy
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flycatcher, Fiscal	Fiskaalvlieëvanger	698		•	•				Like a fiscal shrike but beak thin	Conspicuous and tame
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Flycatcher, Spotted	Europese vlieëvanger	689	•						Brownish grey, streaked crown	Catches insects in flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Go-away Bird, Grey	Kwêvoël	373					•		All grey, pronounced headcrest	Alert and inquisitive
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Goose, Egyptian	Kolgans	102						•	Colourful goose-like broan patch on eyes	Grazes on shoreline in pairs
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Grebe, Little	Kleindobbertjie	8			•				Rufous neck, blackish back	Dives frequently
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Greenshank, Common	Groenpootruiter	270				•			Greenish/Grey legs and feet	Forages in water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Guineafowl, Helmeted	Gewone Tarentaal	203						•	Red helmet with horn, blue face	Gregarious, groundfeeder, runs often
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gull, Greyheaded	Gryskopmeeu	315						•	Grey head, back and upper wing	Gregarious, forages over water

Sightings	Name		Roberts No.	Size Comparison							Prominent Features (Usually Male Birds Only)	Habits	
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm	Crane 100-120 cm			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hamerkop	Hamerkop	81					•		Brown, head like a hammer	Forages in shallow water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Harrier Hawk, African	Kaalwangvalk	169					•	•	Yellow face, barred chest, grey back	Graceful flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hawk, Cuckoo	Koekoekvalk	128				•	•		Rufous bars on belly and under wing	Flies low from tree to tree
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Helmet Shrike, White Crested	Withelmaksman	753			•	•			Pied black, white and grey	Gregarious, groups of 2-22
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Black	Swartreier	69						•	Uniform slaty black	Forms canopy with wings
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Blackheaded	Swartkopreier	63						•	Overall grey-black head, long neck	Stalks prey or stands motionless
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Goliath	Reuse Reier	64						•	Very large, grey and chestnut	Stands in water for long periods
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Greenbacked	Groenrugreier	74					•		Underparts appear grey/green	Shy, partly nocturnal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Grey	Bloureier	62					•	•	White neck with black stripes	Wades in shallow water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Purple	Rooiereier	65					•		Brownish grey, rufous neck	Wades in marshy places
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Heron, Squacco	Ralreier	72					•		Short neck, pale brown and white	Shy, forages in shallow water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Honeybird, Brown Backed	Skerpbek Heuning Voël	478	•						Slender pointed bill, dull brown	Catches insects from perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Honeyguide, Greater	Grootheuningwyser	474		•	•				White outer tail feathers	Guides man to bees' nests
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Honeyguide, Lesser	Kleinheuningwyser	476		•					Olive grey back with gold wash	Solitary, perches motionless
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hoopoe, African	Hoep-Hoep	451			•				Rufous/White-curved bill, head crest	Walks on ground - quick steps
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Hornbill, African Grey	Grysheushoringvoël	457					•		Mottled black and white on wings	Gregarious, forages in trees
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	House-Martin, Common	Huisswael	530		•					Blue-black above, white rump	Gregarious, feeds over grass
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ibis, African Sacred	Skoorsteenveër	91					•		White with black head, curved bill	Gregarious scavenger in wetlands
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ibis, Glossy	Glansibis	93					•		Bronze brown, metallic green wings	Forages by probing in mud
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ibis, Hadeda	Hadeda	94					•		Metallic purple in wing	Probes deep in soil for food
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kestrek, Lesser	Kleinrooivalk	183			•				Grey head, rufous back	Gregarious, hovers in wind
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kingfisher, Brownhooded	Bruinkopvisvanger	435		•	•				Long red bill, dark back and head, blue wings	Hunts insects from perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kingfisher, Giant	Reuse Visvanger	429				•			Black back with spots, long black bill	Shy, solitary, motionless
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kingfisher, Malachite	Kuifkopvisvanger	431	•						Red bill, green crown, blue back	Solitary, dives for food
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kingfisher, Pied	Bontvisvanger	428			•				Distinctive pied black and white	Hovers over water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kingfisher, Woodland	Bosveldvisvanger	433			•				Light blue above, white below	Catches insects on the ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kite, Black	Geelbekwou	126					•		Brown body, yellow bill	Scavengers, often on roads
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Kite, Blackshouldered	Blouvalkie	127			•	•			Red eyes, grey back, black shoulders	Hovers or hunts from perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lapwing, African Wattled	Lelkiewiet	260				•			White forehead, yellow wattle	Walks slowly and deliberately
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lapwing, Blacksmith	Bontkiewiet	258			•				Pied black, white and grey, black legs	Wary, walks in short bursts
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lapwing, Growned	Kroonkiewiet	255			•				Red legs and bill, black crown ringed white	Ground feeder, quick steps
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lark, Rufousnaped	Rooineklewerik	494		•					Rufous head-top and wing edges	Runs mouselike in grass
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Longclaw, Cape	Oranjekeelkalkoentjie	727			•	•			Orange throat with black surround	Stands upright on grass tufts
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mannikin, Bronze	Gewone Fret	857	•						Blackish areas washed metallic green	Gregarious, feeds in flocks

Sightings	Name		Roberts No.	Size Comparison							Prominent Features (Usually Male Birds Only)	Habits	
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm	Crane 100-120 cm			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Martin, Brownthroated	Afrikaanse Oewerswael	533	•						Smoky brown and white belly	Gregarious, feeds near water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Martin, Rock	Kransswael	529	•						Greyish brown above, cinnamon below	Seldom seen far from cliffs
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Masked Weaver, Lesser	Swartkeel Geelvink	814	•						Yellow with red eye and black face	Forages on ground and higher
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Moorhen, Common	Grootwaterhoender	226			•				Red beak with yellow tip, white undertail	Swims in open water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mousebird, Redfaced	Rooiwang Muisvoël	426	•						Bare red face, grey back, long tail	Climbs around in bush
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mousebird, Speckled	Gevlekte Muisvoël	424	•						Uniform brown, black face, long tail	Climbs mouse-like
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Myna, Common	Indiese Spreeu	758		•					Legs, face and beak yellow	Aggressive, cocky walk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Neddicky	Hedikkie	681	•						Grey plumage, dull rufous head	Movements like clockwork toy
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Night Herron, Black Crowned	Witrugnagreier	76				•			Black crown and back, white below	Largely nocturnal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Nighthjar, European	Europese Naguil	404	•						Dark coloured, refer to book	Roosts by day, feeds at night
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Oriole, Blackheaded	Swartkopvielewaal	545	•	•					Bright yellow, black head	Forages high up
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Owl, Barn	Nonnetjie-Uil	392			•				Pale heart shaped facial disc	Looks for food at dusk
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Owl, Marsh	Vlei-Uil	395			•				Dark brown, small ear tufts	Active late afternoon
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Owl, Spotted Eagle	Gevlekte Ooruil	401				•			Grey flecked, prominent ears	Forages from open perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Palm Swift, Africa	Palmwindswael	421	•	•					Grey brown, slender body, long tail	Roosts under palm leaves
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Paradise Flycatcher, African	Paradysvlieëvanger	710	•						Rusty orange - blue bill and eye ring	Vocal - Graceful flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Petronia, Yellow Throated	Geelvlakmossie	805	•						Broad white eyebrows	On the ground it walks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pigeon, Speckled	Kransduif	349			•				White speckles on wing, red eye patch	Roosts on high buildings
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pipit, African	Grasveldkoester	716	•						L.B.J. refer to book	Runs in short bursts
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plover, Common Ringed	Ringnekstrandkiewiet	245	•	•					Black breastband runs round neck	Forages in mud or sandbanks
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Plover, Threebanded	Driebandstrandkiewiet	249	•	•					Two black breast bands	Runs in short sports
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pochard, Southern	Bruineend	113				•			Glossy brown, paler below	Forages at water's edge
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prinia, Blackchested	Swartbandlangstertjie	685	•						Longtail cocked upwards, chest band	Found in bushes and reeds
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Prinia, Tawnyflanked	Bruinsylangstertjie	683	•						Longtail cocked, no black chest band	Forages low down in bushes
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Puffback, Black Backed	Sneeubal	740	•						Black and white, red eyes	Hunts in dense foliage
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pytilia, Green-winged	Gewone Melba	834	•						Scarlet forehead, throat and cheeks	Secretive, forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Quelea, Redbilled	Rooibekquelea	821	•						Strong red bill, black face	Highly gregarious
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reed Warbler, African	Kleinrietsanger	631	•	•					Small nondescript	Skulks in low marsh vegetation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reed Warbler, Great	Grootrietsanger	628	•						Largest of the warblers	Singly in dense vegetation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Robin Chat, Cape	Gewone Janfrederik	601	•	•					Colourful orange neck, white brow	Keeps to dense undergrowth

Sightings	Name		Roberts No.	Size Comparison							Prominent Features (Usually Male Birds Only)	Habits	
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm	Crane 100-120 cm			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sandpiper, Common	Gewone Ruyter	264	•	•					Bill as long as head	Rooster on ground near water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sandpiper, Wood	Bosruiter	266		•					Olive brown back, spotted white	Stands still to avoid detection
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Scrub Robin, Whitebrowed	Gestreepte Wipstert	613	•	•					Brown with well streaked breast	Retiring, and hard to see
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Seedeater, Streaky headed	Streepkopkanarie	881	•	•					White eyebrow on grey	Sociable, unobtrusive
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shikra	Gesande Sperwer	159			•				Grey black, russet banded underparts	Perches within canopy of tree
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shoveller, Cape	Kaapse Slopeend	112				•			Broad black bill, pale grey head	Surface - dabbling with beak immersed
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shrike, Crimsonbreasted	See Boubou Crimson	739			•				Scarlet underparts, black back	Pairs occur in thornveld
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shrike, Fiscal Common	Fiskaallaksmen	732	•	•					Black head with white chest and V on back	Hunts from conspicuous perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shrike, Lesser Grey	Gryslaksmen	731			•				Black forehead, face, wings and tail	Perches on bush or telephone wire
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Shrike, Redbacked	Rooiruglaksmen	733	•						Grey head, rufous back	Perches lower down in bush
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sparrow, Cape	Gewone Mossie	803	•						Head, face and breast black	Feed by hopping on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sparrow, House	Huis mossie	801	•						White cheeks, brown back	Feeds by hopping on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sparrow, Southern Grey Headed	Gryskop mossie	804	•						Slim build, grey head	Gregarious, foraged on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sparrowhawk, Black	Swartspewer	158				•			Large black and white hawk	Sits quietly when approached
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sparrowhawk, Ovambo	Ovambospewer	156			•				Grey head and back, barred underparts	Agile and graceful in flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Spoonbill, African	Lepelaar	95					•		White bird, pink legs, spoonshaped bill	Forages on ground or surface water
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Spurfowl Swainson's	Bosveldfisant	199				•			Red-necked, black bill and legs	Shy, runs with head down
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Starling, Cape Glossy	Kleinglansspreeu	764			•				Iridescent blue and green	Forages arboreally or on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Starling, Redwinged	Rooivlerkspreu	769			•				Red-brown flight feathers	Flight fast and direct
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Starling, Wattled	Lelspreu	760			•				Large black wattle on head and throat	Catches live prey on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Stonechat, African	Gewone bontrokkie	596	•	•					Black head, back and tail	Forages from a perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sunbird, Amethyst	Swartsuikerbekkie	792	•						Sooty black, purple chin	Restless and very active
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sunbird, Whitebellied	Witpensuikerbekkie	787	•						Metallic green head and upperparts	Restless and very active
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Barn	Europese Swael	518	•						Light under, red throat and forehead	Low quick agile flight
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Greater Striped	Grootstreepswael	526	•						White streaked under, rufous crown and rump	Flight slow and leisurely
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Lesser Striped	Kleinstreepswael	527	•						Rufous head, heavily streaked breast	Flies with other swallows
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Redbreasted	Rooiborsswael	524			•				Entirely chestnut underparts	Flight slower with gliding
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Saw-wing Black	Swartsaagvlerkswael	536	•						All black, deeply forked tail	Flight swift, graceful and agile
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swallow, Whitethroated	Witkeelwael	520	•	•					White underparts, black breast band	Flight quick and agile
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swamp Warbler, Lesser	Kaapse Rietsanger	635	•	•					Brown above, buff white below, eye stripe	Forages low in reedbeds
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swamphen African, Purple	Grootkoningriethaan	223					•		Mainly deep blue, large red beak	Shy, keeps to dense vegetation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swift, African Black	Swartwindwael	412	•						All dark brown/black, crescent wings	Highly gregarious
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swift, Little	Kleinwindwael	417	•						Black body, short square tail	Highly gregarious
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Swift, Whiterumped	Witkruiswindwael	415	•						Black all over, white rump	Forages high and low

Sightings	Name		Roberts No.	Size Comparison							Prominent Features (Usually Male Birds Only)	Habits		
	English	Afrikaans		Sunbird 10-15 cm	Sparrow 15-20 cm	Dove 20-30 cm	Pigeon 30-40 cm	Bantam 40-60 cm	Fowl 60-100 cm	Crane 100-120 cm				
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tchagra, Blackcrowned	Swartkroontjagra	744			•					Black crown, rust wings, white below	Flies low between bushes
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tchagra, Brown Crowned	Rooivlerktjagra	743		•	•					Black/white/brown eyebrow	Flies reluctantly
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Teal, Cape	Teeleend	106					•			Pink upturned bill	Forages by head-dipping and upending
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Teal, Redbilled	Rooibekeend	108					•			Red bill, spotted body	Grazes aquatic plants
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tern, Whewinged	Witvlerksterretjie	339			•					Front half black, rest white	Flies slowly into wind
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Tern, Whiskered	Witbaardmeersterretjie	338			•					Body leadgrey, black forehead	Dips water surface for food
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thick-knee spotted	Dikkop	297					•			Heavily spotted upper parts	Crespecular and nocturnal
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Thrush, Olive	Olyflyster	577			•					Olive brown, yellow bill, spotted chin	Forages like a fowl
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Titbabbler, chestnut Vented	Bosveldtjeritik	621	•	•						Dull blue/grey, chestnut vent	Rather tit-like in habits
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Turtle Dove, Cape	Gewone Tortelduif	354			•					Black collar on hindneck	Forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wagtail, Cape	Gewone Kwikkie	713		•						Grey above, white eye mark, bib grey	Wags tail when standing
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warbler, European Marsh	Europese Rietsanger	633	•							L.B.J. refer to book	Highly secretive
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warbler, European Sedge	Europese Vleisanger	634	•							Streaked crown	Singly in dense vegetation
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warbler, Garden	Tuinsanger	619	•	•						Brown with no distinctive markings	Sings from concealed place
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warbler, Icterine	Spotvoel	625	•							Light yellow below	Sings from exposed perch
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Warbler, Willow	Hofsanger	643	•							Distinct eyebrows	Forages off leaves and branches
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waxbill, Blue	Gewone Blousysie	844	•							Brown above, blue face, throat and breast	Gregarious, forages on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waxbill, Common	Rooibaksysie	846	•							Red belly, eye patch and bill	Forages low down
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Waxbill, Violet-eared	Koningblousysie	845	•							Violet cheek patch	Forages low in thickets
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Weaver, Cape	Kaapse Wewer	813		•						Olive green back, yellow under, fierce eye	Aggressive at feeding tables
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	White-eye, Orange River	Kaapse Glasogjie	796	•	•						Yellow/green above, grey under, white eye ring	Forages restlessly, gregarious
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Whitethroat, Common	Witkeelsanger	620	•	•						White throat, pinkish breast	Found in scrub thickets
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Whydah, Pintailed	Koning Rooibekkie	860	•							Pied, red beak, long tail	Bouncy flight, aggressive
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Widow Bird	Langstertflap	832			•					Extremely long black tail	Forages mainly on ground
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Widow, Winged White	Witvlerkflap	829		•						Yellow and white patches on wings	Flight rather slow
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wood Hoopoe, Green	Gewone Kakelaar	452				•				Long, red curved bill, long black and white tail	Forages in trees in noisy groups
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Woodpecker, Cardinal	Kardinaalspeg	486	•	•						Streaked breast, brown crown	Forages on trunks and branches
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Wryneck, Redthroated	Draaihals	489		•						Rust brown patch on throat	Forages mostly on ground